


FIG. 1






Fig. 2

Figure 1 is a scatter plot showing the relationship between the parameter a (x-axis) and the parameter b (y-axis). The x-axis ranges from -30 to 50, and the y-axis ranges from -50 to 80. Data points are marked with stars and numbered 1 through 22. The points are distributed across the plot, with a notable cluster in the upper left quadrant (high b , low a) and a cluster in the lower right quadrant (low b , high a).

| Point Number | a (approx.) | b (approx.) |
|--------------|---------------|---------------|
| 1 | 0 | 2 |
| 2 | -8 | 13 |
| 3 | 4 | -1 |
| 4 | -3 | 71 |
| 5 | -4 | 51 |
| 6 | -8 | 40 |
| 7 | -28 | -2 |
| 8 | -13 | -16 |
| 9 | 2 | 13 |
| 10 | -28 | 23 |
| 11 | 4 | -41 |
| 12 | 25 | -18 |
| 13 | 12 | -8 |
| 14 | 12 | -7 |
| 15 | 48 | 32 |
| 16 | 42 | 29 |
| 17 | 20 | 13 |
| 18 | 40 | -1 |
| 19 | -10 | -3 |
| 20 | 40 | 34 |
| 21 | 20 | 36 |
| 22 | 12 | 13 |

Fig. 3




Fig. 4

Density

actual scanned medium

representative average

B

G

R

Relative Log Exposure

Fig. 5

Figure 1 is a scatter plot showing the distribution of 22 numbered points in the (a, b) plane. The horizontal axis is labeled a and ranges from -40 to 60. The vertical axis is labeled b and ranges from -60 to 80. Each point is represented by a star symbol with a number, and a line segment connects it to a triangle symbol. The points are distributed across the plot, with some clusters and others isolated.




Fig. 7




Fig. 8




Fig. 9